

Two Centuries of Process Safety at DuPont

James A. Klein
E. I. du Pont de Nemours and Company
Wilmington, DE, USA 19898
james.a.klein@usa.dupont.com

DuPont was founded over 200 years ago with a core value for understanding and managing the hazards associated with our processes. From the beginning of manufacturing gunpowder on the Brandywine River, to expansion into chemicals in the early 1900's, to the many, diverse businesses of today, this core value for safety has helped the company reduce risk and prevent serious injuries and incidents. This paper reviews some of this basic corporate history, recognizing that the lessons of the past can help us provide for a safer future.

Introduction

The DuPont Company was founded in 1802 – over two centuries ago – and the foundation of a strong tradition for safety was established that remains a corporate core value today. Thomas Jefferson, the third U.S. President, had encouraged company founder, E. I. du Pont (1772-1834), to manufacture gunpowder since the United States at that time did not have reliable producers of high quality powder [1,2]. E. I. du Pont was almost uniquely qualified, since he had apprenticed with Antoine Lavoisier, the famous French chemist who had also been chief of the French royal powder works. Of course, manufacture of gunpowder was an inherently dangerous business, which E. I. du Pont readily recognized. Reflecting on these dangers, he noted that “we must seek to understand the hazards we live with.” While the process hazards of 1802 are very different than the hazards of today, the foundation of the strong current process safety program and performance at DuPont rests in this early corporate history. The continued dedication over 200 years to understanding the hazards present in our processes, and in successfully managing them to prevent serious injuries and incidents, has contributed significantly to current process safety priorities and practices. Learning from experience – what has worked and what hasn't – both in our company, and in the broader chemical industry, is essential for continuous improvement. Therefore, reviewing the sometimes hard lessons of the past can contribute to a safer future.

Foundations of Process Safety on the Brandywine

E. I. du Pont selected a location along the Brandywine River in Delaware for the first gunpowder mills. The river provided water power for the mills, local granite could be used for construction, and the local port in Wilmington could be used for shipping [3]. In his original plans, du Pont noted that “At the side of the stream, there must be sufficient land to distribute the different buildings of the plant at prudent distances from each other [4].” Spacing considerations were key to limiting the effects of possible explosions related to manufacture of gunpowder. Specific instructions included:

The stamp mill should be at a considerable distance from... any other building. This machine may cause violent explosions and should be surrounded by high and thick walls... It [the graining mill] always contains a somewhat large quantity of finished powder and the necessary presence of the workers may cause most serious accidents, it is therefore important to isolate it as much as possible. [4]

Construction at the Brandywine location was started in 1802, and gunpowder was first sold in 1804 with the name Brandywine Powder (later changed to DuPont Powder) [1,5]. DuPont gunpowder quickly developed a reputation for high quality, and production on the Brandywine continued until 1921.

In addition to careful siting of buildings at minimum safe distances, much consideration was also given to the actual design of the mills. High, thick granite walls were constructed on three sides. The fourth side, which faced the river, and the light gauge roof were designed to direct any explosions towards the river and away from workers and other buildings. Additional design features were intended to prevent powder contamination and potential ignition sources, which could lead to explosions, and to allow workers to exit quickly if needed [6]. Redundant safety valves were also used:

Two safety valves are used – which are absolutely necessary, as when one only is employed it may by accident get choked and the works explode. [7]

Various barricade designs were also used at other locations as the business expanded.

Members of the du Pont family and supervisors were accountable for the safe operation of the mills, with corporate policy requiring that they be present to startup new equipment or manufacturing processes. The following was posted on the doorway to the mills:

No employee may enter a new or rebuilt mill until a member of top management has personally operated it. E. I. du Pont. [2]

Management also gave personal instruction on how to safely roll powder kegs and how to avoid dropping them. By 1811, E. I. du Pont issued official safety rules to help ensure safe manufacture:

As the greatest order is indispensable in the manufacturing as well as for the regularity and the security of works, than the safety of the workmen themselves, the following Rules shall be strictly observed by every one of the men employed in the factory. [8]

Family commitment and accountability were so strong that E. I. du Pont lived at the site. The original plan for the site, in fact, included the requirement that the director's house be constructed "in such a position that the whole plant may be seen from its windows [4]." The du Ponts raised seven children in the house, and on at least one occasion, his wife was injured and the house was severely damaged in an explosion. Ultimately, several family members died of work-related causes [1,2].

Despite precautions, explosions in this dangerous business did occasionally occur. An explosion in 1815 resulted in 9 deaths, which were the first company casualties, and another serious explosion that occurred in 1818 resulted in 34 deaths, which remains the worst process incident in DuPont company history. All accidents were carefully investigated: "the accident cannot be attributed to any stone or nail or other foreign body mixed by chance with the materials [9]" and "This is the only cause which our knowledge of the business enables us to find for the accident [10]." Two years following the major explosion in 1818, changes had been made and it was noted that:

We have last Thursday another accident in one of our mills which has been attended to with some satisfaction, as nobody was injured and it has proved a fair experiment that upon the plan on which our mills are now built we have not to fear any general explosion like the one which happened here two years ago. From the particular construction of the mill the effects of the explosion have been directed in such a way so as not to communicate to any other part of the works. The whole of our mills are now constructed on that safe plan. [11]

In another instance, it was noted that “3000 lbs. of powder have never before exploded together so innocently and with so little damage [10].” The conscientious efforts of the company to operate safely and to learn from accidents was recognized in 1855 by the Wilmington Morning News:

The number of persons killed in explosions has been reduced by the persistent efforts of the firm to discover and introduce safeguards to prevent catastrophes. [2]

Lessons from these early years in the company’s history are today reflected in many elements of the current process safety program, including safe work practices, training, incident investigation, pre-startup safety reviews, emergency response, and operational discipline.

Formal Safety Organization

In the early 1900’s, DuPont was re-organized and aggressively expanded into new chemical businesses, such as dyes, paints, plastics, and cellulose products [1]. In 1911, at a corporate management meeting, it was stressed that “In the manufacture of explosives, we have three important points to consider – safety of operation, quality of product, and the last of all the cost [12].” Later that year, Safety Commissions were formed to study and promote accident prevention measures, first in the High Explosives Operating Department and then in other businesses [12,13]:

These commissions promulgated formal rules governing, certain operating methods and practices, standard drawings for construction design and mechanical safeguards, injury report forms and methods of reporting and tabulating injuries, plant and equipment inspections, and other miscellaneous safety features. These were all assembled in an indexed code book which was distributed to all plant and operating department heads and other interested persons. [13]

Safety Commission meetings of three operating departments in 1913, for example, required over two weeks and resulted in 300 recommendations.

A corporate Safety Division was established in the Engineering Department in 1915 [12,13] to serve as central clearinghouse for evaluation and purchase of all safety items. The Safety Division acted in an advisory capacity for all plants, which included technical training, safety inspections, and review of all construction projects during the design stage. Prevention of accidents was targeted “by protection, by education, and by eliminating the hazard [12],” but the priority was for eliminating hazards:

When circumstances will permit, the *elimination* of dangerous conditions is naturally the best course and should receive the first consideration. [14]

About this time, the goal of zero injuries was first mentioned in corporate directives [2].

Over the next 10 to 15 years, the Safety Division was very active making plant inspections, compiling and analyzing accident statistics, conducting special investigations of new processes, and participating in design reviews. In 1926, safety and fire protection were merged to form the Safety and Fire Protection Division. A set of Safety and Fire Protection standards was subsequently issued around 1930, including for example, Safe Practices in Entering Tanks. Detailed, periodic inspections based on these standards were also conducted at plants. The success of these programs is evident from safety statistics collected during this period. Fatality rates were reduced from 5.66 per million hours of exposure in 1910 to 0.09 by 1931. Injury rates and days lost were similarly reduced by 90-95% from 1913 to 1931 [13].

Safety groups were eventually established at all plants. Reflecting early DuPont history, though, responsibility for safety shifted from safety departments at sites to operations management, based on:

The acceptance throughout the company of the fundamental principle that accident prevention is an integral part of the operating routine and therefore responsibility. [13]

Training programs were offered to all workers, since employee commitment to working safely was recognized as essential for the success of safety programs:

Recognition of the fact that the safety morale or attitude of the actual workers will mostly govern the success of the safety effort and consequently any program to be successful must be designed to reach every worker through regular organization lines. [13]

One problem, through, was the availability of trained safety engineers and professionals, as expressed by Lewis DeBlois, the first head of the Safety Division and later the head of the National Safety Council, who commented on “a very definite and lamentable scarcity of trained safety engineers technically fitted to carry forward the work [15].” Part of the problem, DeBlois also commented, was that training on safety was not commonly part of most engineering programs:

... safety engineering, with its interests in design, equipment, organization, supervision, and education... bears as well a very definite and important relation to

all other branches of engineering. This relation is so close, and its need so urgent, that I am convinced that some instruction in the fundamentals of safety engineering should be given a place in the training of every young engineer. He should be taught to think in terms of safety as he now thinks in terms of efficiency. Conservation of life should surely not be rated below the conservation of energy. Yet, few of our technical schools and universities offer instruction in this subject, and the graduates go out to their profession with only vague surmises on “what all this talk on safety is about.” [15]

To help alleviate the scarcity of capable safety engineers “men with the required amount of technical training had to be especially trained for the work, and this was done by and under the supervision of the main office Safety Division [13].” Company safety training remains a key focus today.

Perhaps the most severe challenge to the company’s safety focus might be expected to have occurred during the hard economic times of The Depression in the 1930’s. However, the company’s efforts to understand and control the hazards of its processes continued out of necessity:

Special studies are continually being made of the hazards arising out of the use of various materials or processes... Where sufficient information is not obtainable... experiments and tests are conducted... [13]

and the core value for safety was re-emphasized:

The operations of the DuPont Company and subsidiary companies have for many years enjoyed enviable success in safety work; and we believe no other group of plants can point with equal pride to such a high degree of control over a multiplicity of inherent industrial hazards. However, past successes will not prevent present or future accidents. If we are to maintain our position in this field of work, we must not only continue our efforts, but we must increase them. As accidents are reduced, their further reduction becomes increasingly difficult. Furthermore, several factors are present today, undoubtedly due to economic conditions, which make it imperative that our accident prevention work be materially increased particularly in certain directions. [16]

Modern Process Safety Program

In many respects, the modern era of Process Safety Management (PSM) at DuPont began with a serious process incident in Louisville, Kentucky in 1965, which resulted in 12 fatalities, 61 injuries, and a property loss of over \$50 million. Following the incident, corporate management asked each site to review their production facilities and procedures to assess the potential for catastrophic events and to take appropriate preventive measures. An annual review was also instituted to ensure that process additions or changes did not create new hazards, and in following years, many sites

conducted annual, in-depth process hazard reviews to evaluate the process safety of site processes. By 1973, new guidance was issued that detailed suggested hazard review methodologies and frequencies. A corporate guideline for Process Hazards Reviews was issued later in 1978, and a comprehensive, integrated corporate Process Hazards Management (PHM) guideline was issued in 1979.

The PHM guideline, now generally referred to as Process Safety Management (PSM), was intended to help prevent “serious, process-related incidents, which might affect plant personnel, off-site communities, the environment, or result in significant property loss or loss of business.” Its purpose was to:

- Establish a framework to help focus management efforts on this important, serious, and complex subject.
- Comprehensively describe the principles and essential features of Process Safety Management for use by sites in managing Process Safety.
- Describe Corporate Business responsibilities and activities.

Business and site management responsibilities were clearly defined, and application of the guideline required that:

Each site and/or manufacturing facility manufacturing, handling, using, or storing hazardous substances *will*, within the framework of this Guideline, develop a detailed Process Safety Management Program suited to its specific organizational structure and needs.

Several updates to the PSM guideline have occurred since it was first issued, as discussed below.

The incident in Bhopal, India in 1984, involving the release of acutely toxic methyl isocyanate (MIC), resulted in about 2000 deaths and thousands of injuries, significantly raising the awareness of both industry and regulators about the potential for off-site catastrophic incidents [17]. The response in DuPont was immediate. At the time, a product in the agrichemicals business used MIC as a key ingredient in the manufacture of an insecticide. Following Bhopal, the R&D organization quickly developed a new process using inherently safer process principles to allow use of a less hazardous material as the starting raw material, eliminating the risk of shipping and storing MIC. Process upgrades allowed this new raw material to be converted to MIC in the reactor, which

was then immediately reacted as part of the next step, limiting the amount of MIC in the process to very low levels [18].

A Highly Toxic Materials (HTM) Subcommittee was also formed to review DuPont operations worldwide. This review found that DuPont's traditional emphasis on management responsibility for managing safety and PSM was effective in minimizing risks both on- and off-site. Additional safeguards were also recommended, though, to provide an extra margin of safety, providing additional guidelines for facilities, storage, operations, transportation, detection, and community protection. In 1985, three new corporate guidelines were issued on Off-Site Risk Assessment, Community Preparedness, and Management of Highly Toxic Materials. The Off-Site Risk Assessment guideline provided "management with information to aid in identifying and assessing potential off-site public exposure," and included risk reduction measures incorporating many principles of inherently safer processes. The Community Preparedness guideline endorsed strong support of the chemical industry Community Awareness Emergency Response (CAER) program and similar efforts in other countries, and it provided guidance on how sites could establish and renew appropriate community organizations to plan and respond to chemical emergencies.

The Management of Highly Toxic Materials guideline identified 15 hazardous materials, such as ammonia and chlorine, where special consideration was required to ensure safe storage, processing, and transportation. Highly Toxic Material (HTM) Safety Guardian Committees were established for managing each hazardous material globally, and specific principles and guidance were provided on facilities, storage, operations, transportation, detection, and community protection. For example, one principle for detection was:

Sites handling highly toxic materials will include use of automatic or continuous specific chemical detection systems, where appropriate, as an integral part of minimizing the potential for harmful exposure on- and off-site.

Each HTM Safety Guardian Committee used this guidance to develop specific standards and practices to help ensure safe use of each material. A HTM Safety Guardian Leadership Team was formed in 1988 to "provide continued global focus, leadership, coordination, and leveraged support for the safe

management of Highly Toxic Materials.” Upgrades to HTM guidance over the last 20 years have included audit requirements, product stewardship reviews, and additional guidance on minimizing storage and preventing, detecting, controlling, and containing releases. HTM Safety Guardian Committees now exist for over 20 substances.

In addition to corporate PSM and HTM programs, individual businesses developed specialized process safety programs, often related to reactive chemicals, to help ensure the safety of site operations. In many cases, these programs resulted from serious process incidents, leading to formation of global teams from multiple manufacturing sites with similar processes to help prevent further incidents [19]. These teams shared technical and process safety information, developed specific guidance and standards for promoting safe operations, developed hazard evaluation methodologies, provided training, and developed audit protocols. In some cases, these programs predated the issuance of corporate PSM guidance (e.g., one program began in 1968 and another in 1975) and are still active today, continuing to contribute to the prevention of serious process incidents.

In late 1996, the corporate ZIP (Zero Incidents... Period!) Team was formed to focus on eliminating process-related injuries and incidents, while at the same time, building business value for PSM. The ZIP Team reaffirmed the vision of “The Goal is Zero” for process incidents and communicated these key messages:

- There is no silver bullet, no single answer, to improving process safety.
- The goal has to be ZERO process-related injuries and incidents. The question is, not IF, but HOW, this goal can be achieved, just as it is for personal safety.
- PSM is a business issue, not only a manufacturing issue, requiring the contributions of a broad cross section of the organization to ensure success.
- Businesses therefore need to establish a sustainable continuous improvement process toward achieving the goal of zero PSM injuries and incidents that is embedded in business planning.

All businesses and regions were requested to have implementation plans by the end of 1997, which would be included in executive level discussions on performance and planning. The result was a renewed corporate effort to drive continuous improvement activities that led to upgraded standards and practices, training programs, evaluation tools, and business metrics that have greatly impacted

PSM performance in DuPont. Subsequent improvement activities, including a PSM Discovery Team effort in 2006, have helped to improve PSM programs on a continuous basis.

Looking Forward

In thinking about the future, the one certainty is that changes will occur. Businesses will grow, acquisitions will be made, and new technologies will be invented. Process safety will need to change as well. New acquisitions may present challenges due to different corporate or geographic safety cultures. New technologies may benefit from the application of PSM, but at the same time, may require that new approaches be developed. Standing still and celebrating our successes, though, will not work. Continuous improvement will always be necessary:

Systems and organizations continually experience change as adaptations are made in response to local pressures and short-term productivity and cost goals... A corollary of this propensity for systems and people to adapt over time is that safety defenses are likely to degenerate systematically through time, particularly when pressure toward cost-effectiveness and increased productivity is the dominant element in decision making. Thus, the redundancy and other precautions added to protect against human error often degenerate over time as other work practices adapt to increase efficiency within the local environment. The critical factor here is that such adaptation is not a random process – it is an optimization process... [20]

The challenge is to recognize this problem and continually work to maintain robust process safety programs. These words, written by a DuPont safety manager over 75 years ago, remain true today:

However, past successes will not prevent present or future accidents. If we are to maintain our position in this field of work, we must not only continue our efforts, but we must increase them. [16]

The goal then, now, and in the future is to prevent serious injuries and catastrophic incidents – the goal is zero. Learning from experience, based on the lessons of the past, is essential if zero is to be achieved. At DuPont, our core value for safety was established over 200 years ago by the founder, E. I. du Pont, and it continues today. Seeking to understand and manage the hazards of our processes to help ensure a safe future remains our challenge and our commitment.

References

- 1 Kinnane, Adrian, *DuPont: From the Banks of the Brandywine to Miracles of Science*, E. I. Du Pont de Nemours and Company, 2002
- 2 Mottel, William J., Joseph F. Long, and David E. Morrison, *Industrial Safety is Good Business: The DuPont Story*, Van Nostrand Reinhold, 1995
- 3 Carisio, Justin, *History of DuPont*, DuPont video, 2003
- 4 du Pont, E. I., *The Location and Construction Necessary for Manufacturing Gunpowder*, Hagley Museum and Library, Wilmington, DE, ca 1801
- 5 Johnson, Allen and Dennis Molene, *Dictionary of American Biography, Vol. 5*, Charles Scribner's Sons, Hagley Museum and Library, Wilmington, DE, 1930
- 6 Cassell's Magazine, *In a Powder Mill*, Hagley Museum and Library, Wilmington, DE, ca 1890
- 7 Du Pont, B. G., *Life of E. I. du Pont, Vol. 6, 1802-04*, University of Delaware Press, Hagley Museum and Library, Wilmington, DE, 1925
- 8 du Pont, E. I., opening paragraph to "Rules" for his manufactory, Hagley Museum and Library, Wilmington, DE, 1811
- 9 DuPont, *Letter Books, 1820-21*, Hagley Museum and Library, Wilmington, DE
- 10 DuPont, *Letter Books, 1825-27*, Hagley Museum and Library, Wilmington, DE
- 11 du Pont, E. I., letter to a customer in Virginia, Hagley Museum and Library, Wilmington, DE, 1820
- 12 Petersen, Peter B., *Lewis A. DeBlois and the Inception of Modern Safety Management at DuPont, 1907-1926*, submitted to Academy of Management, Management History, Division, Hagley Museum and Library, Wilmington, DE, ca 1987
- 13 DuPont, *Development of Accident Prevention Work in E. I. Du Pont De Nemours and Co.*, Hagley Museum and Library, Wilmington, DE, 1932
- 14 DeBlois, L. A., *The Application of Safety Devices*, Hagley Museum and Library, Wilmington, DE, 1916
- 15 DeBlois, L. A., *The Safety Engineer*, American Society of Mechanical Engineers, Hagley Museum and Library, Wilmington, DE, 1918
- 16 Miner, H. L., *Accidents Are Increasing*, letter, Hagley Museum and Library, Wilmington, DE, 1933
- 17 Atherton, John and Frederic Gil, *Incidents That Define Process Safety*, Center for Chemical Process Safety, John Wiley & Sons, 2008
- 18 Clements, C. Curtis, *Application of Inherently Safer Process Concepts in DuPont*, Paper TH002a, Plant Process Safety Symposium, Atlanta, April 11-13, 2005
- 19 Balchan, A. S., J. A. Klein, and F. G. Klein, *Process Safety of Polymer Resin Manufacturing: A 20-Year Perspective*, in Loss Prevention and Safety Promotion in the Process Industries, Vol. 1, Elsevier Science, 1995
- 20 Leveson, Nancy, *A New Accident Model for Engineering Safer Systems*, Safety Science, Vol. 42, p. 237-270, 2004